Some National Comparisons of Adopted and Nonadopted Children

Nicholas Zill, Ph.D.

Child Trends, Inc. 2100 M St., NW, Suite 610 Washington, DC 20037

Exhibits for a paper presented at the Adoption Research Workshop sponsored by
the Office of Adolescent Pregnancy Programs,
Office of Population Affairs
and
the Demographic and Behavioral Sciences Branch,
National Institute for Child Health and Human Development

June 6, 1990 Washington, DC

SharmHere is a new
original for
\$85-04.

Leggy
(upaated cover)

1981 CHILD HEALTH SUPPLEMENT TO THE NATIONAL HEALTH INTERVIEW SURVEY

SAMPLE

- PROBABILITY SAMPLE OF U.S. CHILDREN LIVING IN HOUSEHOLDS
- AGE RANGE: 0-17
- RANDOM SELECTION OF ONE CHILD PER FAMILY
- COMPLETION RATE: 93%
- N = 15,416
- N = 693-1,089 PER SINGLE YEAR OF AGE

METHOD

• IN-PERSON INTERVIEWS BY CENSUS INTERVIEWERS WITH INFORMED PARENT OR GUARDIAN, USUALLY THE BIOLOGICAL MOTHER (82%) OR BIOLOGICAL FATHER (10%)

1981 CHILD HEALTH SUPPLEMENT TO THE NATIONAL HEALTH INTERVIEW SURVEY

CONTENT

- DETAILED SPECIFICATION OF CHILD'S
 FAMILIAL RELATIONSHIP TO ADULTS AND
 OTHER CHILDREN IN HOUSEHOLD
- MARITAL HISTORY OF BIOLOGICAL MOTHER
- PARTIAL RESIDENTIAL HISTORY OF CHILD
- CURRENT CONTACT WITH OUTSIDE PARENT, IF ANY
- CURRENT CHILD CARE ARRANGEMENTS
- ADEQUATE SET OF SES, ETHNIC, AND MARITAL DESCRIPTORS FOR CURRENT ADULT HH MEMBERS
- BROAD RANGE OF CHILD HEALTH, BEHAVIOR,
 AND SCHOOL PERFORMANCE MEASURES

CHILD DEVELOPMENT INDICATORS

MENTAL HEALTH AND BEHAVIOR

- 1) WHETHER CHILD HAS EVER SEEN A PSYCHOLOGIST OR PSYCHIATRIST FOR TREATMENT OF AN EMOTIONAL, MENTAL, OR BEHAVIOR PROBLEM (AGES 3 17)
- 2) WHETHER CHILD RECEIVED OR WAS SEEN AS NEEDING PSYCHOLOGICAL HELP IN LAST YEAR (AGES 3 17)
- 3) BEHAVIOR PROBLEMS INDEX (AGES 4 17)

ACADEMIC ACHIEVEMENT

- 4) WHETHER CHILD HAS EVER HAD TO REPEAT A GRADE IN SCHOOL (AGES δ 17)
- 5) STANDING IN CLASS RATING (AGES 6 17)

PHYSICAL HEALTH

- 6) HEALTH STATUS RATING (AGES 0 17)
- 7) NUMBER OF DAYS MISSED FROM SCHOOL DUE TO ILLNESS IN LAST YEAR (AGES 6 17)

Number and Proportion of

U.S. CHILDREN AGED 0-17 LIVING IN DIFFERENT Types of Families, 1981

TABLE A-1.

| FAMILY TYPE (PARENTS IN HOME) | Number of Cases in Survey | Population Projection | Weighted Percentages |
|--|---------------------------------|--------------------------|-------------------------|
| MOTHER AND FATHER | 10,386 | 42.5 MILLION | 67.5% |
| MOTHER ONLY | 2,759 | 11.6 MILLION | 18.3 |
| MOTHER AND STEPFATHER | 1,084 | 4.5 MILLION | 7.1 |
| FATHER AND STEPMOTHER | 216 | 979 THOUSAND | 1.6 |
| FATHER ONLY | 265 | 946 THOUSAND | 1.5 |
| ► ADOPTIVE PARENT(S) (NO BIOLOGICAL RELATIVE) | 358 | 1.3 MILLION | 2.0 |
| GRANDPARENT(S) OR OTHER RELATIVE(S) | 293 | 1.1 MILLION | 1.7 |
| OTHER | 55 | 216 THOUSAND | 0.3 |
| TOTAL S | 15.416 | 63.1 MILLION | 100.0% |

TABLE A-2.

Number and Proportion of Adopted Children Aged 0-17 Living in Different Types of Families, United States, 1981

| | | | Weighted Percentages | |
|-----------------------------------|---------------------------------|--------------------------------------|---------------------------|-----------------------|
| | Number of Cases in Survey | Population Projection (in Thousands) | OF Adopted Children | OF ALL CHILDREN |
| FAMILY TYPE | | | | |
| Two Adoptive Parents | 298 | 1,080 | 85.9% | 1.71% |
| ONE ADOPTIVE PARENT | <u>47</u> | <u>142</u> | 11.2% | 0.22% |
| - ADOPTIVE MOTHER ONLY | 38 | 113 | 9.0 | 0.18 |
| - ADOPTIVE FATHER ONLY | 9 | 28 | 2.2 | 0.04 |
| ADOPTIVE PARENT AND STEPPARENT | <u>13</u> | 36 | <u>2.9</u> % | 0.06% |
| - ADOPTIVE MOTHER AND STEPFATHER | 8 | 21 | 1.7 | 0.03 |
| - ADOPTIVE FATHER AND STEPMOTHER | 5 | 16 | 1.2 | 0.02 |
| Totals | 358 | 1,258 | 100.0% | 1.99% |

TABLE B-1.

Demographic Profile of Families in Which Adopted and Non-Adopted Children Reside

U.S. CHILDREN AGED 0-17, 1981

| | All Adopted | ALL Non- | Total |
|--|----------------|--------------|--------------|
| | CHILDREN | ADOPTEDS | SAMPLE |
| FAMILY CHARACTERISTICS | (N = 358) | (N = 15,058) | (N = 15,416) |
| ETHNIC COMPOSITION | | | |
| PROPORTION WHITE (NON-HISPANIC | :) 85% | 74% | 74% |
| PROPORTION BLACK | 9 | 15 | 15 |
| PROPORTION HISPANIC | 3 | 9 | 9 |
| PARENT EDUCATION | | | |
| AT LEAST ONE A COLLEGE GRADUAT | re 38% | 21% | 21% |
| NEITHER IS A HIGH SCHOOL GRADUATE | 11 | 19 | 19 |
| FAMILY INCOME | | | |
| \$25,000 or more | 53% | 35% | 36% |
| LESS THAN \$10,000 | 7 | 22 | 22 |
| Welfare Status | | | |
| PROPORTION RECEIVING AFDC | <1% | 8% | 8% |
| MOTHER'S AGE | | | |
| PROPORTION WITH MOTHERS AGED 40 AND OVER | 58% | 26% | 26% |
| PROPORTION WITH MOTHERS UNDER 30 | 2 | 28 · | 27 |

Characteristics of Adopted and Non-Adopted Children Under 18, 1981

| | Adopted Children | All Non-Adopteds | Born Out-of-Wedlock, Raised by Biological Mothers |
|---|------------------|---------------------|---|
| Child and | Percent | Percent | Percent |
| Family Characteristics | Distribution | <u>Distribution</u> | <u>Distribution</u> |
| Total | 100\$ | 100\$ | 100\$ |
| Parent Education (More Educated Parent) | | • | |
| Some college or more | 58\$ | 40\$ | 21\$ |
| High school grad. only | 31 | 41 | 51 |
| Less than high school grad. | 11 | 19 | · 29 |
| Family Income | | | |
| \$25,000 or more | 53% | 35\$ | 14% |
| \$10,000-\$24,999 | 39 | 43 | 30 56 |
| Less than \$10,000 | 7 | 22 | 56 |
| Welfare Status | | | |
| Families receiving AFDC | <1% | 8≴ | 32\$ |
| Mother's Age | | | |
| 40 or over | 58≴ | 26\$ | 12\$ |
| 30-39 | 40 | 47 | 31 |
| Under 30 | 2 | 27 | 57 |
| | | | |

TABLE 1.

ADOLESCENTS AGED 12-17:

ADOPTED IN INFANCY VS. RAISED BY BOTH BIOLOGICAL PARENTS

| CHILD DEVELOPMENT INDICATORS | ADOPTED IN INFANCY | RAISED BY BOTH BIO PARENTS | Observed Difference | _ |
|---|-----------------------|----------------------------|----------------------------|---------------------|
| Mental Health and Behavior | (N = 115) | (n =3,553) | | D DEVIATION ITS) |
| EVER SEEN A PSYCHOLOGIST OR PSYCHIATRIST (%) | T 13% | 5% | - ,28* | - ,29* |
| RECEIVED OR NEEDED HELP IN LAST YEAR (%) | 10% | 3% | - ,29* | - ₁ 30* |
| BEHAVIOR PROBLEMS INDEX (MEAN Score) | 51.3 | 48.4 | - ، 30 [*] | 40** |
| ACADEMIC PERFORMANCE | | | | |
| EVER REPEATED A GRADE (%) | 7% | 12% | .14 | .06 |
| STANDING IN CLASS RATING (MEAN SCORE) | 48 ,5 | 51.0 | 25 | 35 [*] |
| PHYSICAL HEALTH | | | | |
| HEALTH STATUS RATING (MEAN SCORE) | 51.7 | 50 .9 | .08 | .02 |
| SCHOOL ABSENCES DUE TO ILLNESS (MEAN DAYS LOST IN LAST YEAR | 5, 3) | 4.2 | 14 | 16 |

TABLE 2.

ADOLESCENTS AGED 12-17:

ADOPTED IN INFANCY VS. BORN OUT OF WEDLOCK, RAISED BY MOTHER

| CHILD DEVELOPMENT INDICATORS | Adopted in Infancy | Raised by Biological Mother | Observed Difference | Adjusted Difference |
|---|-----------------------|-----------------------------|------------------------|------------------------|
| Mental Health and Behavior | (N = 115) | (N = 201) | | D DEVIATION ITS) |
| Ever seen a psychologist or psychiatrist (%) | r 13% | 15% | .07 | .07 |
| RECEIVED OR NEEDED HELP IN LAST YEAR (%) | 10% | 11% | .02 | .04 |
| BEHAVIOR PROBLEMS INDEX (MEAN SCORE) | 51.3 | 54.4 | 31* | •05 |
| Academic Performance | | | | |
| Ever repeated a grade (%) | 7% | 26% | .53** | ,25 |
| STANDING IN CLASS RATING (MEAN SCORE) | 48.5 | 47.5 | .10 | - ,19 |
| PHYSICAL HEALTH | | | | |
| HEALTH STATUS RATING (MEAN SCORE) | 51.7 | 45.4 | ,63** | .21 |
| SCHOOL ABSENCES DUE TO ILLNESS (MEAN DAYS LOST IN LAST YEAR | 5.3 | 6.0 | .10 | .13 |

TABLE 3.

ADOLESCENTS AGED 12-17:

ADOPTED AFTER INFANCY VS. RAISED BY BOTH BIOLOGICAL PARENTS

| CHILD DEVELOPMENT INDICATORS MENTAL HEALTH AND | ADOPTED AFTER INFANCY $(N = 47)$ | RAISED BY BOTH BIO PARENTS (N =3,553) | OBSERVED DIFFERENCE (IN STANDAR | DIFFERENCE |
|---|----------------------------------|---------------------------------------|---------------------------------|-----------------------------|
| BEHAVIOR | | | UN | ITS) |
| Ever seen a psychologist or psychiatrist (%) | 42% | 5% | -1.30*** | -1.29*** |
| RECEIVED OR NEEDED HELP IN LAST YEAR (%) | 23% | 3% | 82*** | 81*** |
| BEHAVIOR PROBLEMS INDEX (MEAN SCORE) | 58.6 | 48.4 | -1.02*** | -1.11*** |
| ACADEMIC PERFORMANCE | | | | |
| Ever repeated a grade (%) | 30% | 12 % | 50** | - . 51 ^{**} |
| Standing in class rating (Mean Score) | 43.1 | 51.0 | 79 ^{***} | 84*** |
| PHYSICAL HEALTH | | | | |
| HEALTH STATUS RATING (MEAN SCORE) | 51.5 | 50.9 | .07 | .02 |
| SCHOOL ABSENCES DUE TO ILLNESS (MEAN DAYS LOST IN LAST YEAR | 2.4 | 4.2 | , 25 | .21 |

ADOLESCENTS AGED 12-17:

ADOPTED AFTER INFANCY VS. BORN OUT OF WEDLOCK, RAISED BY MOTHER

TABLE 4.

| CHILD DEVELOPMENT INDICATORS | Adopted After Infancy | RAISED BY BIOLOGICAL MOTHER | Observed Difference | DIFFERENCE |
|---|-----------------------------|-----------------------------|------------------------|---------------------|
| Mental Health and Behavior | (N = 47) | (N = 201) | (IN STANDAR: UN | D DEVIATION ITS) |
| EVER SEEN A PSYCHOLOGISTOR PSYCHIATRIST (%) | r 42% | 15% | - ,95*** | - ,92*** |
| RECEIVED OR NEEDED HELP IN LAST YEAR (%) | 23% | 11% | - ,53* | - ,47* |
| BEHAVIOR PROBLEMS INDEX (MEAN Score) | 58.6 | 54.4 | - ,42 | - ,65** |
| ACADEMIC PERFORMANCE | | | | |
| EVER REPEATED A GRADE (%) | 30% | 26% | 11 | - ,32 |
| STANDING IN CLASS RATING (MEAN SCORE) | 43.1 | 47.5 | 44 | - ,67** |
| PHYSICAL HEALTH | | | | |
| HEALTH STATUS RATING (MEAN SCORE) | 51,5 | 45,4 | .61** | ,26 |
| SCHOOL ABSENCES DUE TO ILLNESS (MEAN DAYS LOST IN LAST YEAR | 2.4 | 6.0 | 49 [*] | ,50 [*] |

TABLE 5.

ADOLESCENTS AGED 12-17:

ADOPTED IN INFANCY VS. ADOPTED AFTER INFANCY

| CHILD DEVELOPMENT INDICATORS | Adopted in Infancy | Adopted After Infancy | Observed Difference | Adjusted Difference |
|---|-----------------------|-----------------------------|--------------------------|--------------------------|
| Mental Health and Behavior | (N = 115) | (N = 47) | | D DEVIATION ITS) |
| EVER SEEN A PSYCHOLOGISTOR PSYCHIATRIST (%) | г 13% | 42% | 1.02*** | .99*** |
| RECEIVED OR NEEDED HELP IN LAST YEAR (%) | 10% | 23% | . 54 [*] | . •51* |
| BEHAVIOR PROBLEMS INDEX (MEAN Score) | 51.3 | 58.6 | .72 *** | ۰71 ^{***} |
| ACADEMIC PERFORMANCE | | | | |
| Ever repeated a grade (%) | 7% | 30% | . 64*** | .57** |
| STANDING IN CLASS RATING (MEAN SCORE) | 48.5 | 43.1 | . 54 [*] | . 48 [*] |
| PHYSICAL HEALTH | | | | |
| HEALTH STATUS RATING (MEAN SCORE) | 51,7 | 51,5 | ,02 | 06 |
| SCHOOL ABSENCES DUE TO ILLNESS (MEAN DAYS LOST IN LAST YEAR | 5.3 | 2.4 | - ,40 | 37 |

TABLE 6. WHITE ADOLESCENTS AGED 12-17:

| CHILD DEVELOPMENTINDICATORS | ADOPTED IN INFANCY | ADOPTED <u>Later</u> | RAISED BY BIO MOTHER |
|--|-----------------------|-------------------------|-------------------------|
| MENTAL HEALTH AND BEHAVIOR | | | |
| EVER SEEN A PSYCHOLOGIST OR PSYCHIATRIST (%) | 14% | 49% | 16% |
| RECEIVED OR NEEDED HELP IN LAST YEAR (%) | 11% | 27% | 15% |
| ACADEMIC PERFORMANCE | | | |
| EVER REPEATED A GRADE (%) | 6% | 34% | 28% |
| ABOVE MIDDLE OF CLASS (%) | 43% | 25% | 29% |